

| TRIM | TRANSMISSION | DRIVE | ENGINE | ELECTRIFICATION SYSTEM |
|------|--------------------------------|-------|---------------------|---------------------------|
| GS-L | 8-speed automatic transmission | AWD | 2.5 e-Skyactiv PHEV | Plug-in Hybrid |
| GT | 8-speed automatic transmission | AWD | 2.5 e-Skyactiv PHEV | Plug-in Hybrid |

| OPTIONS | AVAILABLE ON |
|---|--------------|
| Zircon Sand Metallic | GT |
| Polymetal Grey Metallic | GT |
| Rhodium White Metallic | All models |
| Machine Grey Metallic | All models |
| Melting Copper Metallic | GT |
| Soul Red Crystal Metallic | All models |
| Garnet Red Nappa Leather interior (available with select exterior colours only) | GT |

ENGINE

| | GS-L/GT |
|-------------------------------|---|
| Туре | 2.5 e-Skyactiv PHEV, i-Stop |
| Valve train | DOHC 16-valve |
| # of cylinders/configuration | 4/Inline |
| Displacement | 2,488 cc |
| Compression ratio | 13.0:1 |
| Horsepower SAE net (system) | 323 @ 6,000 rpm (with 93 octane fuel)/319 @ 6,000 rpm (with 87 octane fuel) |
| Torque SAE net lb-ft (system) | $369 \ @ \ 4,000 \ rpm \ (with \ 93 \ octane \ fuel)/369 \ @ \ 4,000 \ rpm \ (with \ 87 \ octane \ fuel)$ |
| Horsepower SAE net (engine) | 189 @ 6,000 rpm (with 93 octane fuel)/185 @ 6,000 rpm (with 87 octane fuel) |
| Torque SAE net lb-ft (engine) | 192 @ 4,000 rpm (with 93 octane fuel)/184 @ 4,000 rpm (with 87 octane fuel) |
| Redline | 6,500 rpm |
| Fuel system | Direct injection |
| Recommended fuel | Premium unleaded |

ELECTRIC SYSTEM

| | GS-L/GT | |
|----------------------|--|---|
| Electric motor | | |
| Туре | | Permanent magnet-type synchronous electric motor |
| Output | Rated Motor/Generator Power (EPA) Drive motor rated power's rated RPM | 68 kW 4,350 rpm |
| Battery ¹ | Type Discharge capacity Weight Total voltage Battery capacity | Lithium-ion battery 50 Ah 178 kg 355 V 17.8 kWh |
| Powertrain | Electric motor power outlet Electric motor torque | 173 hp @ 5,500 rpm 199 lb-ft @ 400 rpm |

CHARGING COMPATIBILITY

| Home and Public charging (Level 1 AC 120 V and 15 Amps) ¹ | 6.4 Hours | Mode 2 (120 V×15 A) – state of charge from 20% to 80% |
|--|-----------|---|
| Home and Public charging (Level 2 AC 240 V and 30 Amps) ¹ | 1.3 Hours | Mode 2 (240 V×30 A) – state of charge from 20% to 80% |

¹ The charging time is based on a battery/ambient temperature of 20° C. The actual charging time depends on the various conditions at the time of charging, such as the type of fast charging station, battery status, charging habits and the battery and ambient temperature. In cold conditions, both the battery and the ambient temperature affect the required charging time, which in certain situations can lead to a significant increase in the charging time.

CHASSIS

| Front suspension | Independent, double wishbone |
|------------------------|--|
| Rear suspension | Independent, multi-link with coil springs and stabilizer bar |
| Steering | Rack-and-pinion with engine-rpm-sensing variable power assist |
| Steering ratio | 17.1:1 |
| Minimum turning circle | 11.6 m (curb-to-curb diameter) |
| | Anti-lock Brake System (ABS) with Electronic Brake Force Distribution (EBFD) |
| Brakes | 347 mm ventilated front discs |
| | 350 mm solid rear discs |
| Curb weight (kg) | 2,344 |

CAPACITIES

| | GS-L/GT |
|-------------------|---------|
| Seating | 5 |
| Fuel tank | 70 L |
| Washer fluid tank | 4.2 L |

EXTERNAL DIMENSIONS

| Overall height (mm) | 1,733 without shark fin antenna (unladen) |
|---------------------|---|
| Overall width (mm) | 2,157 (mirrors in driving position) |
| Overall length | 5,100 mm (without licence plate holder) |
| Wheelbase | 3,120 mm |

| | 19-inch wheels | 21-inch wheels |
|----------------------------|----------------|----------------|
| Track (fr) | 1,705 mm | 1,705 mm |
| Track (rr) | 1,708 mm | 1,708 mm |
| Ground clearance (unladen) | 204 mm | 206 mm |
| Approach angle | 19.2° | 19.5° |
| Departure angle | 20.8° | 20.9° |
| Break-over angle | 15.9° | 16.2° |

SPECIFICATIONS

INTERNAL DIMENSIONS (MM)

| Headroom (fr/rr) | 996/981 (with moonroof)/1,005/975 (with panoramic roof) |
|---------------------------------------|---|
| Legroom (fr/rr) | 1,058/1,000 |
| Shoulder room (fr/rr) | 1,504/1,476 |
| Hiproom (fr/rr) | 1,427/1,410 |
| Cargo length (behind front seat) | 2,245 |
| Cargo length (behind second row seat) | 1,272 |
| Width between rear tire housing | 1,110 |
| Height from floor to roof | 773 (with moonroof)/765 (with panoramic roof) |
| Liftgate opening width | 1,106 |

SPECIFICATIONS

CARGO VOLUME

| Cargo volume (SAE) | With Moonroof | With Panoramic Roof |
|------------------------|---------------|---------------------|
| Behind front seat | 2,147 L | 2,132 L |
| Behind second row seat | 1,131 L | 1,122 L |

FUEL ECONOMY RATINGS (L/100 KM)¹

| | e-Skyactiv PHEV (gasoline only) |
|----------|---------------------------------|
| City | 9.9 |
| Highway | 8.7 |
| Combined | 9.4 |

ENERGY CONSUMPTION ESTIMATES (Le/100 KM)²

| | e-Skyactiv PHEV (electricity and gasoline) |
|----------|--|
| Combined | 4.2 |

ELECTRIC DRIVING RANGE (KM)³

| | Electric | Gasoline + Electric |
|---------------|----------|---------------------|
| Driving range | 42 | 798 |

TOWING CAPACITY

| Towing capacity | 1,588 kg (3,500 lb) | |
|-----------------|---------------------|--|
| rowing capacity | 1/300 kg (3/300 ls) | |

¹Estimated fuel economy based on Government of Canada's approved, revised 5-cycle testing method. Your actual fuel consumption may vary depending on how, where and when you drive. For comparison purposes only. For more information on revised 5-cycle testing, visit the Government of Canada website.

²To help compare vehicles that use electricity, a conversion factor is used by NRCan to convert electrical energy equivalent to 8.9 kWh of electricity.

³ Full battery charge is required. Actual driving range will vary depending upon driving/charging habits, speed, conditions, weather, temperatures, and battery age.

GS-L

ENGINE AND MECHANICAL

e-Skyactiv PHEV, i-Stop 2.5 L I4 cylinder engine

Horsepower (system): 323 hp

Torque (system): 369 lb-ft (with 93 octane fuel)

Horsepower (system): 319 hp

Torque (system): 369 lb-ft (with 87 octane fuel)

Recommended fuel: Premium

8-speed automatic transmission with manual shift mode

Paddle shifters

Charge Model Button

Mi-Drive (Normal/Sport/Off-road/Towing/EV modes)

i-Activ AWD

ELECTRIC SYSTEM

Plug-in Hybrid System Lithium-ion battery¹ Battery: 17.8 kWh1

Electric motor power output: 173 hp @ 5,500 rpm

Electric motor torque: 199 lb-ft @ 400 rpm

CHARGING COMPATIBILITY

Home and Public charging (Level 1 AC 120 V and 15 Amps)² Mode 2 (120 V×15 A) – state of charge from 20% to 80% 6.4 Hours

Home and Public charging (Level 2 AC 240 V and 30 Amps)² Mode 2 (240 V×30 A) – state of charge from 20% to 80% 1.3 Hours

SUSPENSION AND BRAKES

Power-assisted four-wheel disc brakes Anti-lock Brake System (ABS) with Electronic Brake Force Distribution (EBFD)

Front suspension: Independent, double wishbone

Rear suspension: Independent, multi-link with

coil springs and stabilizer bar

Rack-and-pinion steering with engine-speed-sensing

variable power assist

TIRES AND WHEELS

19-inch alloy wheels (dark grey, high-lustre metallic) 265/55R19 tires

Tire Pressure Monitoring System (TPMS) (direct type) Temporary spare tire - T155/90D18

In cold weather temperature, the engine may start and use fuel, even with a fully charged battery. The use of the engine is required to ensure proper heating of the passenger cabin. Make sure there is fuel in the tank.

SAFETY AND SECURITY

Front dual stage driver's and front passenger's airbags

Front and rear side airbags

Front and rear curtain airbags

Driver's and front passenger's knee airbag

Passenger airbag deactivation system (auto switch)

Rear seat alert

Blind Spot Monitoring (BSM)

Rear Cross Traffic Alert (RCTA)

Driver Attention Alert (DAA)

Distance & Speed Alert (DSA)

Mazda Radar Cruise Control with Stop & Go function

(MRCC with Stop & Go function)

Pedestrian Detection (forward sensing)

Dynamic Stability Control (DSC)

Traction Control System (TCS)

Trailer Stability Control (TSC)

Hill Descent Control

Hill Launch Assist (HLA)

Lane-keep Assist System (LAS)

Lane Departure Warning System (LDWS)

Emergency Lane Keeping with Road Keep Assist

Rearview camera (with static guidelines)

Smart Brake Support Front (SBS-F)

High Beam Control system (HBC)

Front seat belt ELR pretensioners

Child-safety rear door locks

LATCH 2nd row seat child safety lower anchors &

upper tethers (3)

3-point safety belts for all occupants

Height-adjustable front and rear seat head restraints

Height-adjustable front seat belts

Front active head restraints

Engine immobilizer theft-deterrent system

Rear parking sensors

Private eCall

Stolen Vehicle Assisatnce

EXTERIOR

LED headlights with automatic levelling

LED daytime running lights

LED rear combination tail lights

Automatic on/off headlights

Body-coloured door handles

Body-coloured rear roof spoiler

High-mount stop light

Manually foldable door mirrors

Power, heated, black exterior mirror

Integrated side turn signal indicators

Exterior B and C pillar garnish in black

Black honeycomb front grille inserts

Front wiper de-icer

Signature wing grille surround with black finish

Adjustable intermittent rain-sensing wipers

Intermittent rear wipers

Rear window defroster

Height-adjustable power rear liftgate

Roof rails in satin chrome

Power glass moonroof with interior sunshade,

tilt-up ventilation and one-touch open Privacy glass on rear door glass, quarter glass

and rear gate glass

Noise-isolating windshield

Noise-isolating glass

(driver's and front passenger's windows)

Green tint glass with UV shield

AWD badge on liftgate

Black PHEV side badge

Wheel arch and rocker trim in black

Front and rear lower bumper in black

²The charging time is based on a battery/ambient temperature of 20° C. The actual charging time depends on the various conditions at the time of charging, such as the type of fast charging station, battery status, charging habits and the battery and ambient temperature. In cold conditions, both the battery and the ambient temperature affect the required charging time, which in certain situations can lead to a significant increase in the charging time.

GS-L (CONTINUED)

INTERIOR: AUDIO & CONNECTIVITY

10.25-inch full-colour centre display Mazda Connect Infotainment system

Mazda Connected Vehicle Services³

Mazda Harmonic Acoustics with 8 speakers

AM/FM/HD radio

Wired Apple CarPlay™ integration

Wired Android Auto™ integration

Bluetooth® hands-free phone and audio capability

Steering-wheel-mounted audio, phone and cruise controls

2 front Type-C USB ports

Navigation-ready

(requires navigation SD card accessory)4

SMS text message functionality

INTERIOR: COMFORT & CONVENIENCE

Automatic, dual-zone climate controls

Rear heater ducts

Push Button Start (satin chrome ring detail)

Electronic Parking Brake (EPB) with auto-hold function

Manual tilt and telescopic steering wheel

Power windows with front and rear one-touch up and down

Illuminated window switches

Advanced keyless entry (vehicle access and

lock via key fob proximity)

Auto-dimming rearview mirror

Speed-sensing power door locks

Driver's and passenger's sunvisors with illuminated covered vanity mirrors and extension

Rear center armrest with integrated storage

Illuminated entry

Room lamp

Cargo area light

Internal hood release

12-volt power outlets (front and rear)

2 rear Type-C charging USB ports

Front door courtesy lamp

INTERIOR: SEAT & INTERIOR TRIM

Leatherette-trimmed upholstery

Leather-wrapped steering wheel and shift knob

Heated front seats (three settings)

10-way power driver's seat

(includes power lumbar support)

4-way power front passenger's seat

Heated steering wheel

60/40-split folding rear seatback

Remote folding rear seats

Reclining and sliding 2nd row seats

Custom CX-70 embroidered floor mats

Passenger's side single seatback pocket

Silver finish dash strip trim

Dashboard mid-panel in black

Centre console panel in black

Silver finish side louvre bezel

Lower steering wheel spokes in bright finish

Bright finish on inner door handles (front and rear)

STORAGE

Front centre console with armrest and storage

2 cupholders in 1st row centre console

2 cupholders in 2nd row centre console

Overhead console with sunglasses holder

INSTRUMENTATION

Tachometer

Engine coolant temperature gauge

Fuel gauge

Meter set with 12.3-inch LCD display Indicates: speedometer, odometer, trip meter, outside temperature, maximum driving distance, average fuel economy, current fuel economy, deceleration regeneration charge display, i-Activsense display, compass display, door ajar/liftgate ajar/hood ajar warning indication, message display

³ Mazda Connected Vehicle Service is available for a 2 year trial period from your vehicle's in-service date; a paid subscription is required upon expiry of the trial period. Requires MyMazda App (on a compatible smartphone), a working vehicle electrical system (including battery), wireless coverage and GPS satellitte signal. Services, connectivity and capabilities vary by conditions as well as geographical and technical restrictions. See mazda.ca for details. Services may include: Remote Services [remote lock/unlock, remote hazard lights; Vehicle Status [vehicle status alert]; Navigation Services [vehicle finder, send to car³]; Vehicle Connected Services [vehicle health report, online update, push notifications, malfunction notification]; Mazda Road Side Assistance; Geofence (Driver alert/Parental control/Geofence); Last kilometer navigation; Smartwatch integration.

⁴To use the navigation system, the SD card containing the map information needs to be inserted in the SD card slot.

GT Includes the following features in addition to or in place of CX-70 Plug-In Hybrid GS-L:

SAFETY AND SECURITY

360° View Monitor

Front and rear parking sensors

Windshield-projected colour Active Driving Display (large view)

Traffic Sign Recognition System (TSR)

Adaptive Front-lighting System (AFS)

Smart Brake Support Rear (SBS-R)

Smart Brake Support Rear Crossing (SBS-RC)

Front Cross Traffic Alert (FCTA)

Blind Spot Monitoring (BSM) with Vehicle Exit Warning

Driver Monitoring (DM)

Rearview camera (with dynamic guidelines)

TIRES AND WHEELS

21-inch alloy wheels (machined spokes with polished finish and dark painted pockets))
275/45R21 tires

EXTERIOR

LED front signature lighting

Power-sliding panoramic moonroof with one-touch open and close

Hands-free, height-adjustable power rear liftgate

Front and rear lower bumper in body colour

Front and rear door garnish moulding in black finish

Power folding exterior mirrors (automatic operation)

Driver's side auto-dimming exterior mirror

Shark fin antenna

INTERIOR: AUDIO & CONNECTIVITY

Bose premium sound system with AM/FM/HD radio

12 Bose speakers with Centerpoint 2 Surround Technology and AudioPilot 2 Noise Compensation Technology

SiriusXM® Satellite Radio

(includes complimentary 3-month subscription)

Wireless Apple CarPlay™ integration

Wireless Android Auto™ integration

Amazon Alexa

Navigation system

Mazda Online Navigation (requires Mazda Connected Services enrolment)

INTERIOR: COMFORT & CONVENIENCE

HomeLink® wireless control system

Retractable rear door sunshades

Power outlet socket (low AC power/150 W)

Illuminated glove box

Front and rear door courtesy lamp

Front centre console with armrest, storage and internal light

LED driver's and passenger's foot lamps

Trailer Hitch view

INTERIOR: SEAT & INTERIOR TRIM

Black Nappa leather-trimmed upholstery

8-way power front passenger's seat (includes power lumbar support)

Driver's seat memory position (2 memory settings)

Exterior mirrors linked with memory seat function

Ventilated front seats (three settings)

Heated 2nd row seats (outboard only; three settings)

Dashboard mid-panel in black with contrasting piping and stitching

Centre console panel in Geomesh

Centre console cupholders with retractable cover

Upper door panel trimmed in Geomesh with silver accent

Bright finish on inner door handles (front and rear)

Satin chrome-plated glove box lever

Wheel arch and rocker trim in body colour

GT OPTION

stitching and piping

GARNET RED NAPPA LEATHER UPHOLSTERY

Garnet Red Nappa leather-trimmed upholstery

Dashboard mid-panel in Garnet Red leather with

Center console armrest in black with Garnet Red stitching Steering wheel in red stitching Product changes and options availability: Following publication of this brochure, certain changes in equipment, options, specifications, prices and other information may have occurred which would not be reflected in these pages. All information included in this brochure is based upon the available information at the time of publication. Although such information is believed to be correct at the time of publication, accuracy cannot be guaranteed.

Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right, at any time without providing any further notice or incurring any obligations, to correct any errors, inaccuracies or omissions that may exist in this brochure, as well as to make changes to any of the information included in this brochure.

Options and accessories shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations. Some vehicles shown may be models from other jurisdictions. Canadian models and specifications may vary.

© 2024 Mazda Canada Inc., 55 Vogell Road, Richmond Hill, Ontario L4B 3K5.